



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

PESTO BIRD OUT- BIRD REPELLENT GRANULAR - Repels Pigeons, Starlings, Crows & Sparrows



How to Use :

1. Sprinkle the product where the Pest Birds occurs and where presently nesting/ breeding directly or in some container easily accessible to birds
2. It is a repellent in form of food to the pest, repels. Repels by mimic actions the product repel them away naturally if only once they eat this.
3. Safe for humans, user safety. Safety dust mask, gloves shall be used while applying.
4. Keep away from children in cool, dry, clean, moisture free place.
5. It is a slowly repel pest-bird by making them scared, uneasy, weak, thin, dull, slow, quiet, calm, movement less leading to migration, sometimes the birds becomes hyper & fast leaves place immediately.
6. Immediate results may or may not be visible but it's long term remedy.

Doses :

- 1 PACK 500 GRAM = 1000 SQ.FT

AVAILABLE ON PESTOMATIC.COM

Contact Specialist

Avinash Salunke

PESTOMATIC CONTROLS

Email- pestocontrols@gmail.com

Web- www.barefooterschool.co

Mo- +91-9422235816

PACKAGING

1 BOX = 1 X 100 POUCHES



BUY NOW

Works :- A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com
Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816
Branch Office :- C-60, Ground Floor, Shoppers Orbit, Infront off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015
E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com.
Website :- www.barefooterschool.com, www.pestomaticcontrols.co, www.pestomatic.com
Helpline :- 9225549186/9225549187/ 02422-225596



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclincs & Agribusiness Centre

PESTO BIRD OUT- BIRD REPELLENT GRANULAR



[Check SOP of Bird Out](#)

[Check MSDS](#)

AVAILABLE ON PESTOMATIC.COM



[BUY NOW](#)

[How to Use Bird Out](#)

Pesto Bird Out Granular is Organic Natural, safely and organically repels birds. Its all natural formula and leaves behind no harmful residue and has no harsh pesticide alike smell.

Application-Read entire label for indoor/outdoor application. Use protective before treatment. Pesto Bird Out repels Pigeons, Crow & Sparrow. Apply in areas of occurrence of pest by direct placement of granules. To create an easily accessible repellent to breeding birds, you can keep at places in the up- on window sills, top-roof lines, Ceiling-gutter edges, signs, ornamental copings, cornices, ledges and other similar areas. Give special attention to the breeding areas such as galleries, AC, POP, wall junctions, roofs, spaces in portraits, and wall mounted big frames having empty hollow spaces behind. Control pests as many as possible to break food chain. Allow a few minutes for product to take effect. To reduce annoyance from birds treat hiding and breeding areas where these pests may alight or congregate in similar manner.

It Contents Dried Blood, Putrescent whole egg solids, Garlic Oil, Inert Ingredients including Bajara, Grains, Sponge, Tharmacoal, Rice flake, Corn Cob.

For more help call on +91-94222- 35816

- Works** :- A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE
- Office** :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816
- Branch Office** :- C-60, Ground Floor, Shoppers Orbit, Infront off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015
- E-mail** :- pestocontrols@gmail.com, pestocontrols@yahoo.com.
- Website** :- www.barefooterschool.com , www.pestomaticcontrols.co , www.pestomatic.com
- Helpline** :- 9881742427/9225549186/9225549187/ 02422-225596



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclincs & Agribusiness Centre

General Application information of Bird Out application:

1. Make survey & identify the problematic areas of Pest birds occurrence. We shall stop their entry in particular areas.
2. The birds proofing shall be done by creating an artificial baiting box barrier to protect human areas to change their habitat.
3. Lastly go for Bird Out application by opening pouch, Place the product in box or container to make baiting box. For max & immediate control try to create barrier line continuously by multiple baiting box placement of repellent without leaving any gap.
4. Bird Out material is solid granular & some powder it shall be scattered all places where pest bird can breed/hide. At top-wall places, cracks, empty spaces in such a way that it will remain there as a residual material.
5. Place Pesto Bird Out in the window sills, roof lines, gutter edges, signs, ornamental copings, cornices, ledges and other similar areas. Birds get scared once consumed with this material leading displacement from earlier place.
6. Apply repellent granules at all the possible or hiding suspicious places wherever scattering is not possible like top ceilings & ducts place repellent in open mouth boxes over the ground.
7. Try to go by integrated approach covering maximum infested own areas with neighbor herborages of infested area also.

HOW TO USE :

1. Pesto Bird Out shall be apply across an areas where it is desired to prevent or discourage birds from entering.
2. Preferably, the repellent placing shall be 10-30 cm wide, although generally the wider the barrier is the better.
3. In this manner, an repellent barrier is provided that birds are reluctant to eat & cross if they cross, it get fainted.
4. Additionally a smaller amount of product may be scattered in diffuse or non-continuous manner just beyond the baiting boxes on any place.
5. This added scattering of repellent serves to lessen the probability of occasional Bird wandering beyond the baiting boxes.

After use dispose the pouch/container by deep burial in jungle areas. Before application first try to understand Biology habitat of Pest-bird, later think of this as preventive measures for self & food protection.

For demo of How to Use Bird Out click on link below:-

https://youtu.be/vtbaJ_JjFK4

Call on +91-94222-35816, 9881742427

Contact Specialist

Avinash Salunke

PESTOMATIC CONTROLS

Email- pestocontrols@gmail.com

Web- www.barefooterschool.com

PACKAGING

AVAILABLE PACKING – 1 UNIT, 500 GM

BOX PACK – 1x 10 Unit (500GM) = 5 Kg

Works :- A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE

Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816

Branch Office :- C-60, Ground Floor, Shoppers Orbit, Infront off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015

E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com

Website :- www.barefooterschool.com, www.pestomaticcontrols.co, www.pestomatic.com

Helpline :- 9881742427/9225549186/9225549187/ 02422-225596

Check SOP of Bird Out

Check MSDS

AVAILABLE ON PESTOMATIC.COM



BUY NOW



Pestomatic Controls[®]

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

For Expert visit to commercial place the Charges are

- A. Training and demonstrations charges will be Rs. 10,000/-Plus Traveling
- B. Time required for training, demonstration and all will be 5 hours.
- C. Some videos, photographs are permitted.
- D. One Unit of 500 gm Bird Out covers 1000 Sqft normal of a Society.
- E. The Rate Of Pesto Bird Out (Material Cost) Is Rs 1000/Unit (500 gm) including GST, Transportation Cost Extra.**

[Check MSDS of Bird Out](#)

All Products available on Our Website

www.pestomatic.com

BUY NOW



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & AgribusinessCentre

Frequently Asked Questions

QUE: Is this product granular work out to get out birds?

ANS: Yes.Indeed . Apply in areas of occurrence of birds by direct placement of granules in safe baiting boxes.

QUE: How to apply around my poultry?

ANS: Apply in areas of occurrence of birds by direct placement of granules or in open container in safe boxes.

QUE: Hi I want to get rid of Birds from my farmhouse. Is this product granule proper for that ?

ANS: Yes Indeed it is useful & very effective safe if used as per instructions.

QUE: Is this product work in any season ?

ANS: Yes, all seasons.In Summer, winter it remains naturally effective & gives protection but in monsoon repeated baiting is required

QUE: Frequency of application?

ANS: Dusting Frequency @ 55 days is required , once powerful application is done to make an artificial barrier line we can get rid of the pest bird on the application.

QUE: Does this product affect pets or humans?

ANS: No. Its not harmful. It's safe to all Human & pet. It's safe once applied with precautions while applying.

QUE: Can I use this product when I have other pets on my farm land? I have hens, turkeys, bunnies and birds. Is it poisonous when other animals consume it?

ANS: No, Use it at Pest birds prone areas of farm & **not in cages for pet birds**.It's not consumable to animals, still safe to animals.We can get rid of the Pest-birds after a week period of application.

QUE: Does it repels Pigeons, Starlings & House Sparrows as well?

ANS: Yes It does. Repeated application is required.

QUE: If once apply how long days it will be effective, how long days once have to change?

ANS: 55 days if undisturbed . Re-apply at problematic houses /societies . It is reapplied anytime for repair if the barrier line broken ,bait is washed out, it's partially-soluble in water so get washed, still to ensure protection go for re-application.

Pesto Bird Out- Bird Repellent

Material Safety Data Sheet
May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be consulted
for specific requirements.
IDENTITY (As Used on Label and List)

A Product of India
Non Toxic Repellent

Pesto Bird Out- Bird Repellent

ID No.00025 Date:August 8,2014

Section I

Pestomatic Controls 91-2422-225596
A-2/6, MIDC, Shirampur, 91-94222 35816
Dist. Ahmednagar

Section II - Ingredients/Identity

Hazardous Components (Specific Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits	% (Optional)
Dried Blood	N/A			0.00240%
Putrescent whole egg solids	N/A			0.00240%
Garlic Oil	N/A			0.00048%
Balance - Inert Ingredients including Bajara, Grains, Sponge, Tharmacoal, Rice flake, Corn Cob.				

Section III - Physical/Chemical Ingredients

APPEARANCE AND ODOR: Light Brown granules with Vinegar like odor.
BOILING POINT: NA MELTING POINT: NA
MELTING POINT : NA
SOLUBILITY IN WATER: Negligible

Section IV - Fire and Explosion Data

FLASHPOINT: > 325 degrees F FLAMMABLE LIMITS: N/A
pH: N/A
EXTINGUISHING MEDIA: Carbon Dioxide, Dry Chemical, Foam or Water

Section V - Reactivity Data

STABILITY: Stable CONDITIONS TO AVOID: None noted
INCOMPATIBILITY (Materials to Avoid): NA HAZARDOUS POLYMERIZATION: Will not occur.
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: NA
UNUSUAL FIRE AND EXPLOSION HAZARDS: Not considered to be an explosion hazard.

Section VI - Health Hazard Information

ROUTES OF ENTRY: Inhalation: NA Skin: Yes Ingestion: Yes Eyes: Yes
SIGNS AND SYMPTOMS OF EXPOSURE: Product can cause moderate eye irritation. For certain individuals, skin irritation may occur. In case of eye contact, flush with plenty of water. In case of skin irritation, wash area thoroughly with soap and water. Seek medical attention if irritation persists. Do not use this product if you are allergic to eggs.

Section VII - Safe Handling/Use

HANDLING AND STORAGE: Store in a cool, dry place. Always practice good hygiene when working with this or any chemical. Keep out of reach of children.
STORAGE: Store in original container, keep tightly closed. Keep away from and do not allow cross-contamination of pesticides, fertilizers, seeds, feed or food.

Section VII - Safe Handling/Use

PROTECTIVE GLOVES: Heavy clothe, leather or non permeable gloves advised. Long sleeved shirt, long pants and shoes advised for sensitive individuals.

EYE PROTECTION: Safety glasses advised.

RESPIRATORY PROTECTION: None required.

STORAGE: Store in original container. Keep tightly closed. Keep away from and do not allow cross-contamination of pesticides, fertilizers, seeds, feed or food.

OTHER PRECAUTIONS: None required.

Section VIII - Health Hazard Data

POTENTIAL HEALTH EFFECTS:

PRIMARY ROUTE (S) OF ENTRY: Eye and skin contact.

EYES: May causes eye irritation. In case of contact, hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing.

SKIN: May cause slight irritation in sensitive individuals. Wash thoroughly with soap and water after use. If irritation persists, seek medical attention.

Section IX- Environmental and Disposal Information

SPILL OR LEAK PROCEDURES: Sweep area and dispose of properly.

WASTE DISPOSAL METHOD: Because acceptable methods of disposal may vary by location and because regulatory requirements may change, the appropriate regulatory agencies should be contacted prior to disposal.

KEEP OUT OF REACH OF CHILDREN

ABBREVIATION KEY

N/A: NOT AVAILABLE OR APPLICABLE

N/E: NOT ESTABLISHED

ND: Not Determined

TLV: THRESHOLD LIMIT VALUE STEL:

TWA: TIME WEIGHTED AVG./8 HOUR WORKDAY

SHORT TERM EXPOSURE LIMIT

D.O.T.: DEPARTMENT OF TRANSPORTATION

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

Research, mfg By- Pestomatic Controls under guidance of Mr. Avinash N. Salunke.

End of MSDS

[Back to Main Page](#)



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

Pesto Bird Out: How to Use! SOP (Standard Operating Procedures)

08.08.14

Back ground Before Application of Bird Out try to know biology & habitat of birds, then use Bird Out as preventive & curative measures. The product is designed to repel & eradicate birds from Human habitat, Urban - life, Hotels, Food -factories, Farm houses /sheds of livestock. Birds are disease spreading vectors to animals like Human & almost all others. It is as much as a grain eating, dirty, semi-solid, semi-decomposed eating flying organism. Behavior of Birds is to move speedily in a deliberate and investigatory manner searching grains, filthy food smell. In our experiments we have seen birds' responses to the Bird Out Granular in as near to natural -normal conditions as possible, so we recommend to apply Bird Out by placing granular baiting boxes across an area where it is desired to prevent or discourage birds from breeding. Preferably, the placement of bait stations for Baiting /Dusting should be done in a strip 10-30 centimeters wide, generally wider strip is better. In this manner, a contact repellent barrier of Bird Out is provided where birds are reluctant to stay & breed. Additionally, a smaller amount of the dusting/ baiting may be done as scattered in a diffuse or non-continuous manner just beyond the baiting stations strip, on the side away from the area to be protected. This added scattering of the repellent serves to lessen the probability of birds wandering. If Bait barrier line is washed /broken, Bird Out shall be re-applied on to repair the barrier, but protected from heavy rainfall. After washing, cleaning or rainfall re-application shall be done. Bird Out is partially soluble in water so does not remain there in the same places some times to ensure protection re- application is recommended. In experiment birds exhibited scaring of the repellent, and if sometimes some birds try to eat and stay with the repellent doesn't stay longer It leaves the place. These exhibited changes behavior first when we apply as repellent, eventually moving away while fighting each other seemingly attempting to escape from the repellent bait stations. Every time start treatment at interior sections working outward. Create complete perimeter around areas to be protected in food/seed company or warehouse after every cleaning (Not to be used by persons with dust allergies). Keep away from children.

DIRECTIONS : Bird Out is a Solid granular & some powder available in pouch. The pouch content is 500 Grams. The person applying the Bird Out shall wear protective dust mask & goggles before start.

INGREDIENTS:

Proprietary Blend of Dried Blood, Putrescent whole egg solids, Garlic Oil, Inert Ingredients.
(See MSDS for all ingredient details.)

1. Break seal of pouch, Place the product in box or container to make baiting box. For max & immediate control try to create barrier line continuously by multiple baiting box placement of repellent without leaving any gap.
2. Bird Out material is solid granular & some powder it shall be scattered all places where Pest-bird can breed/ hide. At top- wall places, cracks, empty spaces in such a way that it will remain there as a residual material.
3. Place Pesto Bird out in the window sills, roof lines, gutter edges, signs, ornamental copings, cornices, ledges and other similar areas. Birds get scared once consumed with this material leading displacement from earlier place.
4. Apply repellent granules at all the possible or hiding suspicious places wherever scattering is not possible like top ceilings & ducts place repellent in open mouth boxes over the ground.

Works : - A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com
Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816
Training Office :- C-60, Ground Floor, Shoppers Orbit, Infront off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015
E-mail :- avinash@pestomatic.com, info@barefooterschool.com
Website :- www.barefooterschool.com, www.pestomatic.com, www.pestomaticcontrols.co
Helpline :- 9881742427/9225549186/9225549187/ 02422-225596



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

5. Apply at all the possible breeding suspicious places like Seed/food godown, ware house while doing so you may find some birds fighting/rushing away getting repelled. Please, note Bird Out repels Pigeons but does not harm to Human, animals if they eat its not harmful or poisonous.

Note : Do Disturb Nature by use of harsh pesticides, natural habitat of Birds are top hiding/ breeding food eating. Birds are not enemies. They are most important part of ecosystem but as vector parasitic disease spreading Pest. The natural food cycle shall be broken at maximum possible ways. In exceptional case apply Bird Out in for preventive artificial barrier it is very necessary in human areas to keep birds away. Make attempt to cover very big buildings, Home, Hotel, Hospital, Society, Food industry, ware houses, Seed godowns etc.

Disposal: The empty pouch & remaining, after use shall be disposed by deep burial in barren land safely.

Storage: Store below 30°C Temperature in cool dry place away from children. Made in the India.

For Questions or Comments:

91-9422235816

avinash@pestomatic.com

Avinash Salunke,

Content Specialist,

Pestomatic Controls, Agri-Clinics, Agri Business Centre

Shrirampur.

Dist. Ahmednagar.

Pin 413709 MS India

www.pestomatic.com

pestocontrols@gmail.com

Date 08/08/2014

[Back to Main Page](#)

Works :- A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com
Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816
Training Office :- C-60, Ground Floor, Shoppers Orbit, Infront off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015
E-mail :- avinash@pestomatic.com, info@barefooterschool.com
Website :- www.barefooterschool.com, www.pestomatic.com, www.pestomaticcontrols.co
Helpline :- 9881742427/9225549186/9225549187/ 02422-225596