



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclincs & Agribusiness Centre

PESTOMATIC CAR RAT OUT: RAT REPELLENT



[Check SOP of Car Rat Out](#)

[Check MSDS](#)

AVAILABLE ON AMAZON & PESTOMATIC.COM



[BUY NOW](#)



[BUY NOW](#)

[How to Use Car Rat Out](#)

Car Rat Out Gel is Natural product. It safely and organically kills and repels Rat . Its all natural formula and leaves behind no harmful residue and has no harsh pesticide alike smell.

Application- Shake well before use. Read entire label for indoor/outdoor application. Use protective before apply. Apply drops of Gel at areas where Rat occurs. Apply drops on hiding, breeding areas likes bonnet of Car, trailers, electrical wires, cables, electronics items and motor homes.. Control Insects as many as possible to break food chain. Allow a few minutes for product to take effect.To reduce annoyance from Rat treat hiding and breeding areas where these pests may alight or congregate in similar manner.

It Contents Natural Proprietary blend of essential oil & lubricating oils

For more help call on +91-94222-35816

Works :- A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE

Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816

Branch Office :- C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015

E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com.

Website :- www.barefooterschool.com , www.pestomaticcontrols.co , www.pestomaticcontrols.com

Helpline :- 9881742427/9225549186/9225549187/ 02422-225596



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

General Application information of Car Rat Out :

1. Make survey & identify the problematic areas of Rat occurrence. We can stop entry in particular areas.
2. The Rat proofing is done by applying drops to repel Rat from our food & habitat.
3. Break open Seal of Pet dropping bottle, Apply drops of Gel at areas where Rat occurs.
4. This material is Gel suspension & is soluble in water so it can be washed out once you are Rat free. Apply to all places where Rat can hide. At bonnet of Car, trailers, electrical wires, cables, electronics items and motor homes.
5. Apply Car Rat Out at all the parking areas, windows and door sides to take care of either hiding or entering in home.
6. Apply Gel at all the possible suspicious places while doing so you may find some insects, rats, frogs, small snakes rushing away from their places if hidden. Kindly note to some extent it repels them also.
7. In open wild jungle or animal shed, Horse stable, apply directly as curative spot treatment for Rat directly.
8. Do not try to cover very big land jungle areas. Study the situation and apply at required places.

HOW TO USE :

1. Car Rat Out Apply by drops or line across an areas where it is desired to prevent or discourage Rat from entering.
2. Preferably, apply drops 10-30 cm wide, although generally the wider the placement effective the barrier.
3. In this manner, an odour barrier is provided that Rat are reluctant to cross.
4. Additionally a smaller amount of product may be spaced dropped scattered in diffuse or non-continuous manner just beyond the strip, on the side away from the area to be protected.
5. This added drops scattering of repellent serves to lessen the probability of occasional Rat wandering beyond the strip.
6. After use dispose the container by deep burial in jungle areas; First try to understand Biological habitat of Rat later think of doing this as preventive measures for self-protection after application.

For demo of How to Use Car Rat Out click on link below:-

https://www.youtube.com/watch?v=_PbbOE6J2no&t=3s

[Check SOP of Car Rat Out](#)

Or Call on +91-94222-35816

Contact Specialist

Avinash Salunke

PESTOMATIC CONTROLS

Email- pestocontrols@gmail.com

Web- www.barefooterschool.com

PACKAGING

AVAILABLE PACKING – 1 UNIT, 30 Gram

BOX PACK – 1x 12 Unit (30 Gram) = 360 Gm

[Check MSDS](#)

AVAILABLE ON AMAZON

PESTOMATIC.COM



[BUY NOW](#)



[BUY NOW](#)

Works :- A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE

Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816

Branch Office :- C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015

E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com

Website :- www.barefooterschool.com, www.pestomaticcontrols.co, www.pestomaticcontrols.com

Helpline :- 9881742427/9225549186/9225549187/ 02422-225596



Pestomatic Controls[®]

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

For Expert visit the Charges are:

- A. Training and demonstrations charges will be Rs. 10,000/- (Traveling Cost Extra)
- B. Time required for training, demonstration and all will be 3 hours.
- C. Some photographs are permitted.
- D. One Unit 30 gram Car Rat Out covers 100 Sq.ft normal House room.
- E. The Rate Of Car Rat Out (Material Cost) is Rs 300/Unit (30 gram) (including GST & excluding Transportation Cost)**

[Check MSDS of Car Rat Out](#)

For More Products Visit Our Website

www.pestomaticcontrols.co

[BUY NOW](#)



Pestomatic Controls[®]

Pest Management & Hygiene Consultant

Agriclinics & AgribusinessCentre

Frequently Asked Questions

QUE: Is this product gel work out to get out Rat ?

ANS: Yes. Indeed. Apply Dropping across area desired to prevent/discourage Rat from entering. Dropping repellent lessen probable entry. If barrier line is broken, re-apply Gel.

QUE: If once apply how long days it will be effective, how long days once have to change?

ANS: 30 days if undisturbed. It is reapplied anytime for repair if the barrier line is broken, it's soluble in water so get washed, still to ensure protection go for re-application.

QUE: How many days this power will work on Farm House ?

ANS: Once applied it works for min 30 to max 90 days if not washed, undisturbed, unbroken.

QUE: How to apply around my hut?

ANS: Use by direct dropping from self dropping pet bottle for making barrier to Rat or killing it.

QUE: Hi I want to get rid of Rat from my farmhouse. Is this medicine proper for that ?

ANS: Yes Indeed it is useful & very effective if used as per instructions.

QUE: Is this product work in any season ?

ANS: Yes, all seasons. In Summer, winter Gel remains naturally & gives protection but re-apply if washed either in summer or monsoon

QUE: Frequency of application?

ANS: Apply Frequency is 30 days once powerful application is done to make an artificial barrier line.

QUE: Does this product affect pets or humans?

ANS: No but It's irritant to harm Human & pet. It's safe once applied taking precautions while applying.

QUE: Can I use this product when i have other pets on my farm land? I have hens, tukeys, bunnies and birds. Is it poisonous when other animals consume it?

ANS: Yes. Use it at Rat prone areas of farm & in cages. It's not consumable, smells bad to animals.

QUE: Does it repels Rat & Snakes as well?

ANS: Yes It does.



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclincs & Agribusiness Centre

MATERIAL SAFETY DATA SHEET

In Case of Emergency call: 91-2422-225596 or 91-942223581

CERTIFIED BY PESTOMATIC CONTROLS.

A 2/6 MIDC SHIRDI ROAD, SHRIRAMPUR
DIST AHMEDNAGAR 413709 MS INDIA

SECTION I

Product Identification: **CAR RAT OUT**

Application: A thick, non-toxic chemical compound formulated as a lubricant / mouse repellent for bonnet of Car, trailers, electrical wires, cables, electronics items and motor homes.

SECTION II

Chemical Composition: Proprietary Mixture of essential oils, bitter in taste.
This mixture is not subject to TSCA, and is a formula not controlled by WHMIS classification.

SECTION III

Composition: Proprietary blend of essential oil & lubricating oils
OSHA PEL
5 mg /m³ (oil mist)

SECTION IV

PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point : 260 C	Specific Gravity : .860
Vapor Pressure: Less than .001 KPW	Melting Point : Not Applicable
Vapor Density: N/A	Evaporation Rate : Slower than (Butyl Acetate = 1)
Solubility in Water: Negligible	
Appearance: Clear Liquid	Odor : Natural Essential Oils

Works : - A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com
Office : - B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816
Branch Office :- C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015
E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com.
Website :- www.barefooterschool.com, www.pestomaticcontrols.co, www.pestomaticcontrols.com
Helpline :- 9225549186/9225549187/ 02422-225596



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

SECTION V

Fire and Explosion Hazard Data

Flash Point: 205C **Method :** COC

Flammable Limits: Not applicable

Extinguishing Method: CO₂, Dry Chemical Foam, Water Spray

Fire Explosion Hazards: LOW FIRE HAZARD - Do not flame cut, drill or weld empty containers

Fire Hazard Identification: NFPA STD. 704

Health - 0

Flammability - 1

Reactivity - 0

SECTION VI

Reactivity Data :

Stability : Stable

Hazardous Decomposition: Burning may produce normal products of combustion
Including: Oxides of Carbon, Oxides of Sulfur, Oxides of Nitrogen.

Hazardous Polymerization: Will not occur

SECTION VII

Toxicity Data:

* Estimated acute LD₅₀ greater than 5000 mg / kg (rat oral) : practically non-toxic, though bitter.
Base Oil is Negative when tested by the modified Ames test. * Based on toxicity of base oils

ACUTE EXPOSURE:

Eye: Not irritating to eyes.

Skin: Not irritating to skin.

Ingestion: Practically Non-Toxic, estimated LD₅₀ is greater than 5g /kg (rat oral). Has a laxative effect

Effects of over exposure:

Inhalation : Negligible hazard at normal temperatures (up to 38C) .
Elevated temperatures or mechanical action may form vapors, mists or fumes.
Inhalation of oil mists or vapors from hot oil may cause irritation of the upper respiratory tract and chemical pneumonitis.

Works :- A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com
Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816
Branch Office :- C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015
E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com.
Website :- www.barefooterschool.com , www.pestomaticcontrols.co , www.pestomaticcontrols.com
Helpline :- 9225549186/9225549187/ 02422-225596



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

Skin and Eyes : Not irritating to eyes. Prolonged or repeated contact with skin may cause mild irritation and possibly dermatitis.

Ingestion: Low toxicity on ingestion. Has a laxative effect.

Carcinogenicity: Non- Carcinogenic

EMERGENCY AND FIRST AID PROCEDURES

Skin: Remove contaminated clothing - launder before re-use. Soap and water wash. Discard saturated leather articles.

Eyes: Copious warm water flush for 15 minutes. Physician assessment if eyes inflamed.

Inhalation Vapor pressure of this material is low. Inhalation under normal conditions is usually not a problem. Evacuate to fresh air. Apply Cardio Pulmonary Resuscitation if required. If overdosed to oil mist, remove from further exposure. Administer oxygen if available. If resuscitation is required, physician assessment is mandatory.

Ingestion: DO NOT INDUCE VOMITING Force fluids. Activated charcoal tablets. Physician assessment is mandatory.

Note to Physician: Gastric lavage should only be done after endotracheal intubation in the event of the risk of aspiration which can cause serious chemical pneumonitis for which antibiotic and corticosteroid therapy may be indicated.

SECTION VIII

PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken if spilled: Contain spill. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Scoop up used absorbent and rags into drums.

Waste Disposal Method: Dispose in approved, SECURE contaminated waste site or licensed waste reclaimer facility. Check with applicable jurisdictions for specific disposal requirements.

SECTION IX

Exposure Control Measures: EXPOSURE limits not established for mixture

Ventilation: General Ventilation

Respiratory Protection: None normally needed - unless atomizing in enclosed space or underneath vehicle, then use approved NIOSH organic, mist, vapor, and respirator.

Works :- A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com
Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816
Branch Office :- C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015
E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com.
Website :- www.barefooterschool.com , www.pestomaticcontrols.co , www.pestomaticcontrols.com
Helpline :- 9225549186/9225549187/ 02422-225596



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

Eye Protection: None normally required, unless operator is using high pressure spray equipment under vehicle where splashing could occur.

Protective Gloves: None normally needed, Vitron, Nitrile or PVC may be worn.

Other Protective Clothing: None normally needed.

Work/Hygienic Practices: Wash face & hands with soap & water after use. Launder soiled clothing.

SECTION X

REGULATORY INFORMATION

DOT Class: Not Regulated

SARA Title III Section 313 Supplier Notification

CAS # Not applicable Chemical Name: Bitter compounds % by weight: Less than 0.1

Certified Earth Friendly Technologies and its affiliates assume no responsibility for injury to anyone caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Certified Earth Friendly Technologies Corp. and its affiliates assume no responsibility for injury to anyone caused by abnormal use of material even if reasonable safety procedures are followed.

Date issued: October 5, 2016

Prepared by
Certified Pestomatic Controls
Shrirampur

[BACK TO MAIN PAGE](#)

Works Office :- A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com
Branch Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816
E-mail :- C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015
Website :- pestocontrols@gmail.com, pestocontrols@yahoo.com.
Helpline :- www.barefooterschool.com, www.pestomaticcontrols.co, www.pestomaticcontrols.com
:- 9225549186/9225549187/ 02422-225596



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

Car Rat Out : How to Use! SOP (Standard Operating Procedures)

05.10.16

Back ground Before Application of Car Rat Out try to know biology & habitat of reptiles , then use Car Rat Out Gel as preventive measures . The product is designed repel & eradicate Rats from Human habitat , Urban -life, Hotels, Food-factories ,Farm houses /sheds of livestock ,Horses . Rat is predator feeding on Insect / Pest as much as a normal and quiet organism . Behavior of Rat is to move slowly in a deliberate and investigatory manner.

In our experiments we have seen Rat 's responses to the repellent in as near to natural -normal conditions as possible , so we recommend to apply Car Rat Out by placing drops across an area where it is desired to prevent or discourage Rat from entering . Preferably , the Gel baiting should be done in a strip 10-30 centimeters wide , although generally the wider the strip the better . In this manner , an odour & contact barrier of Car Rat Out is provided to which Rat are reluctant to cross . Additionally , a smaller amount of the drops may be done as scattered in diffuse or non-continuous manner just beyond the spray strip, on the side away from the area to be protected . This added scattering of the repellent serves to lessen the probability of occasional Rat wandering beyond the strip. If Gel barrier line is washed /broken , Car Rat Out shall be re-applied on to repair the barrier , but protected from heavy rainfall . After washing , cleaning or rainfall re-application shall be done. Car Rat Out Gel is soluble in water so doesn 't remains there in the same places still to ensure protection re- application is recommended . In experiment Rat exhibited even overt avoidance of the repellent , and if sometimes some Rat try to cross the repellent . These Rat exhibited avoidance behavior first, eventually moving across the repellent strip while rubbing the head against the ground , seemingly attempting to escape from the repellent Gel drops- strip. Repelled Rat show no hesitation to leave the place. Every time start treatment at interior sections working outward . Leave Rat evacuation route open (1 side) to flush out resident Rat that may be present , close open area off this untreated area within 5 days . Create complete perimeter around areas to be protected after 5 days (Not to be used by persons with perfume allergies). Keep away from children.

DIRECTIONS :Car Rat Out is a liquid Gel aromatic suspension available in pet bottle . The bottle content is 30 Gram . The person applying the Car Rat Out shall wear protective before start . The minimum requirement is Boiler suit, Gum boot , rubber gloves , full goggle , nose mask or full face mask with canister and or helmet as per the need of the situations.

INGREDIENTS:

Proprietary blend of essential oil & lubricating oils (See MSDS for all ingredient details.)

1. Break open the pet dropping bottle seal. Switch off fan, door, windows to keep air flow in control. Start applying drops in areas of occurrence of Rat to kill, repel Rat as curative spot treatment. Scattered spray shall also done to discourage the Rat .
2. Apply drops of Car Rat Out in infested areas to form an artificial barrier line continuously without leaving any gap in strip of 10-30 cm.
3. At bonnet of Car, trailers , electrical wires, cables, electronics items and motor homes. in such a way that it will remain there for longer time as a residual material. Due care shall be taken while dropping at electric equipments
4. Place the Car Rat Out at all the parking areas, windows and door sides to take care of either Rat hiding, breeding or entering places in home and premises.

Works :- A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com
Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816
Training Office :- C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015
E-mail :- avinash@pestomatic.com , info@barefooterschool.com
Website :- www.barefooterschool.com , www.pestomatic.com , www.pestomaticcontrols.co
Helpline :- 9881742427/9225549186/9225549187/ 02422-225596



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

5. Apply at all the possible or hiding suspicious places while doing so you may find some insects, frogs, Rat, small snakes rushing away getting repelled if hiding inside. Please, note Car Rat Out repels several organism but does not harm to Human, animals, insects, frogs, pet & even birds.

Note: Do not disturb Natural food chain, natural habitat, Rat & Snakes are friends. They are most important part of food chain . The natural predator -parasite food cycle shall be kept normal at maximum possible ways . In exceptional case apply this in only for artificial barrier if very necessary in human areas, later it shall be broken if not required. Do not attempt to cover very big land, entire jungle, forest areas use for Home, Hotel, Hospital & Food industry.

Disposal: The empty container & remaining, after use shall be disposed by deep burial in barren land safely.

Storage: Store below 30°C Temperature in cool dry place away from children. Made in the India.

For Questions or Comments:

91-9422235816

avinash@pestomatic.com

Avinash Salunke, Content Specialist,

Pestomatic Controls, Agri-Clinics, Agri Business Centre

Shrirampur.

Dist. Ahmednagar.

Pin 413709 MS India

www.pestomatic.com

pestocontrols@gmail.com

Date 05/10/2016

[Back to Main Page](#)

Works : - A-2/6 MIDC Shirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com
Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shirampur, Dist- Ahmednagar. Pin 413709 **Ph-** 9422235816
Training Office :- C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015
E-mail :- avinash@pestomatic.com , info@barefooterschool.com
Website :- www.barefooterschool.com , www.pestomatic.com , www.pestomaticcontrols.co
Helpline :- 9881742427/9225549186/9225549187/ 02422-225596