



Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

Date:22/01/2021

ANIMAL OUT GEL: PEST ANIMALS REPELLENT

Monkey, Rat, Cat, Dog, Mongoose, Bat, Antelope & Pig Repellent



Check SOP of Animal Out Gel

Check MSDS

AVAILABLE ON AMAZON.IN



BUY NOW

How to Use Animal Out Gel

Animal Out Gel is Natural product. It safely and organically repels Animals. Its all natural formula and leaves behind no harmful residue and has no harsh pesticide alike smell.

Application- Shake well before use. Read entire label for indoor/outdoor application. Use protective before apply. Break the pet dropping bottle seal.

Method 1: Direct Gel smearing application at places of Pest Animals habitats and physical touch activity.

Method 2: Dots scattered around all possible visit and resting places.

Method 3: Mix 50ml Gel in one kg of snacks available in local market and throw areas of Animals groups like Monkey.

Method 4: Add 50ml Gel in 1-5 litre water and spray in areas of Animals movements to prevent their habits of staying inn. Use any method and manage the animals.

Apply Gel in hiding visiting areas likes house, open areas, farms, Trees and closed Spaces. Allow a few minutes for product to take effect. To reduce annoyance from animals treat hiding and visiting areas where these animals may alight or congregate in similar manner.

It Contents Natural Proprietary blend of essential oil & lubricating oils

For more help call on +91-94222-35816

Works : - A-2/6 MIDC Shrirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE

Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shrirampur, Dist- Ahmednagar. Pin 413709 <u>Ph-</u> 9422235816 Branch Office :- C-60, Ground Floor, Shoppers Orbit,In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015

E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com.

Website :- www.barefooterschool.com , www.pestomaticcontrols.co , www.pestomaticcontrols.com

Helpline : - 9881742427/9225549186/9225549187/ 02422-225596





Agriclinics & Agribusiness Centre

General Application information of Animal Out:

- 1. Make survey & identify the problematic areas of Animals occurrence. We can stop entry in particular areas.
- The Animals proofing is done by Gel smearing/applying drops to repel Animals from our food & habitat.
- 3. Break open Seal of Pet dropping bottle, Spray/Apply drops of Gel at areas where pest animals occurs.
- 4. This material is Gel suspension & is soluble in water so it can be washed out once you are pest-animals free. Apply to all places where Animals visit and resting. At farms, home, hotel, Hospitals, Hostels, Industry, open areas, Trees and closed Spaces.
- 5. Apply Animal Out at all the parking areas, windows and door sides to take care of either hiding or entering in
- 6. Apply Gel at all the possible suspicious places while doing so you may find some insects, Rats, frogs, small pests rushing away from their places if hidden. Kindly note to some extent it repels them also.
- 7. In open animal shed, Horse stable, apply directly as curative spot treatment for Pest-Animals directly.
- 8. Do not try to apply on any big land or jungle areas. Study the situation first. Don't disturb wildlife.

HOW TO USE:

- 1. Animal Out Gel apply by drops or spray across an areas where it is desired to prevent or discourage Animals from entering.
- 2. Preferably, Apply Gel by smearing at maximum touchable places of animals, till the organism touches and feel the gel it doesn't give any reaction.
- 3. In this manner, natural anti-feedant repellent works. Its based on animal senses like taste, touch-feel, smell, odour & contact etc. as an artificial barrier. It works on natural inbuilt defense system of every
- 4. Additionally a smaller amount of product may be spaced dropped/sprayed scattered in diffuse or noncontinuous manner just beyond the strip, on the side away from the area to be protected.
- 5. This added drops scattering of repellent serves to lessen the probability of occasional Animals wandering beyond the strip.
- 6. After use dispose the container by deep burial; First try to understand Biological habitat of Pest Animals later think of doing this as preventive measures for self-protection farm protection.

For demo of How to Use Animal Out Gel click on link below:-

https://www.youtube.com/watch?v= PbbOE6J2no&t=3s

Or Call on +91-94222-35816

Contact Specialist Avinash Salunke PESTOMATIC CONTROLS

Email- pestocontrols@gmail.com

Web- www.barefooterschool.com www.pestomatic.com

PACKAGING

AVAILABLE PACKING - 1 UNIT, 100 MI

BOX PACK – 1x64 Unit (100 MI) = 6.4 Litre

Works : - A-2/6 MIDC Shrirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE

Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shrirampur, Dist- Ahmednagar. Pin 413709 Ph- 9422235816 Branch Office: - C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015

:- pestocontrols@gmail.com, pestocontrols@yahoo.com E-mail

Website : - www.barefooterschool.com , www.pestomaticcontrols.co , www.pestomaticcontrols.com

Helpline : - 9881742427/9225549186/9225549187/ 02422-225596 Check SOP of Animal Out Gel



AVAILABLE ON AMAZON.IN









Pestomatic Controls®

Pest Management & Hygiene Consultant

Agriclinics & Agribusiness Centre

For Expert visit the Charges are:

- A. Training and demonstrations charges will be Rs. 25,000/- (Traveling Cost Extra) free for farmers.
- B. Time required for training, demonstration and all will be 3 hours.
- C. No photographs are permitted.
- D. One Unit 100 MI Animal Out Gel covers 1 Farm/Godawn.
- E. The Rate Of Animal Out Gel (Material Cost) is Rs 1100/Unit (100 Ml) (including GST & excluding Transportation Cost)

Check MSDS of Animal Out

For More Products Visit Our Website

www.pestomatic.com

BUY NOW







Agriclinics & AgribusinessCentre

Frequently Asked Questions

QUE: Is this product gel work out to get out Animal?

ANS: Yes. Indeed. Direct Gel smearing application at places of Animals habitats and physical touch activity for monkey or Mix 50ml Gel in one kg of snacks available in local market and throw areas of Animal groups. If barrier line is broken, re-apply Gel.

QUE: If once apply how long days it will be effective, how long days once have to change?

ANS: 30 days if undisturbed. It is reapplied anytime for repair if the barrier line is broken, it's soluble in water so get washed, still to ensure protection go for re-application.

QUE: How many days this power will work on Farms?

ANS: Once applied it works for min 30 to max 90 days if not washed, undisturbed, unbroken.

QUE: How to apply around my Frm house or hut?

ANS: Use by direct Gel smearing application at places of Animals habitual visit and physical touch activity or Add 50ml in 1-5 litre water and spray in areas of Animals movements to prevent their habits of staying inn. Also for large area Mix 50ml Gel in one kg of snacks available in local market and throw areas of Pest Animal groups.

QUE: Hi I want to get rid of Monkeys from my farmhouse. Is this Gel proper for that?

ANS: Yes Indeed it is useful & very effective if used as per instructions.

QUE: Is this product work in any season?

ANS: Yes, all seasons.In Summer, winter gel remains naturally & gives protection but re-apply if washed either in summer or monsoon

QUE: Frequency of application?

ANS: Apply Frequency is 30 days once powerful application is done to make an artificial barrier line.

QUE: Does this product affect pets or humans?

ANS: No but It's bitter to Human & pet. It's safe once applied taking precautions while applying.

QUE: Can I use this product when i have other pets on my farm land? I have hens, tukeys, bunnies and birds. Is it poisonous when other animals consume it?

ANS: Yes. Use it at Animals prone areas of farm & in cages. It's not consumable, smells & testes bad to animals.

QUE: Does it repels Rats, Cats, Mongoose & Dogs as well?

ANS: Yes It does to some extent.





Agriclinics & Agribusiness Centre

MATERIAL SAFETY DATA SHEET

In Case of Emergency call: 91-2422-225596 or 91-9422235816

CERTIFIED BY PESTOMATIC CONTROLS.

Address: A 2/6 MIDC SHIRDI ROAD, SHRIRAMPUR DIST AHMEDNAGAR 413709 MS INDIA

SECTION I

Product Identification: ANIMAL OUT GEL, MONKEY OUT GEL, DOG OUT GEL

Application: A thick, non-toxic chemical compound formulated as a lubricant/Monkey, Mouse, Cat, Dog, Mammals repellent by contact and smell. To be used at places of pest occurrence like home, hotels, Hospital, Hostels, Farms and Industry where pest troubles.

SECTION II

Chemical Composition: Proprietary Mixture of essential oils, bitter in taste.

This mixture is not subject to TSCA, and is a formula not

controlled by WHMIS classification.

SECTION III

Composition: Proprietary blend of essential oil & lubricating oils OSHA PEL

5 mg/m 3 (oil mist)

SECTION IV

PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: 260 C **Specific Gravity:** .860

Vapor Pressure: Less than .001 KPW Melting Point: Not Applicable

Vapor Density: N/A **Evaporation Rate :** Slower than

(Butyl Acetate = 1)

Solubility in Water: Negligible

Appearance: Clear thick Liquid Oils Odor: Natural Essential

Works :- A-2/6 MIDC Shrirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com

Office: - B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shrirampur, Dist- Ahmednagar. Pin 413709 Ph- 9422235816

Branch Office: - C 60, Shoppers Orbit, Alandi Road, Infront of Big Bazaar, Vishrantwadi, Pune-411015

E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com.

Website :- www.barefooterschool.com, www.pestomaticcontrols.co, www.pestomaticcontrols.com

Helpline :- 9225549186/9225549187/ 02422-225596





Agriclinics & Agribusiness Centre

SECTION V

Fire and Explosion Hazard Data

Flash Point: 205C Method: COC

Flammable Limits: Not applicable

Extinguishing Method: CO 2, Dry Chemical Foam, Water Spray

Fire Explosion Hazards: LOW FIRE HAZARD - Do not flame cut, drill or weld empty

Fire Hazard Identification: NFPA STD. 704

Health - 0 Flammability - 1 Reactivity - 0

SECTION VI

Reactivity Data:

Stability: Stable

Hazardous Decomposition: Burning may produce normal products of combustion

Including: Oxides of Carbon, Oxides of Sulfur, Oxides of Nitrogen.

Hazardous Polymerization: Will not occur

SECTION VII

Toxicity Data:

* Estimated acute LD50 greater than 5000 mg / kg (rat oral): practically non-toxic, though bitter. Base Oil is Negative when tested by the modified Ames test. * Based on toxicity of base oils

ACUTE EXPOSURE:

Eye: Not irritating to eyes.

Skin: Not irritating to skin.

Ingestion: Practically Non-Toxic, estimated LD50 is greater than 5g /kg (rat oral). Has a laxative effect

Effects of over exposure:

Inhalation: Negligible hazard at normal temperatures (up to 38C).

Elevated temperatures or mechanical action may form vapors, mists or fumes. Inhalation of oil mists or vapors from hot oil may cause irritation of the upper

respiratory tract and chemical pneumonitis.

Works :- A-2/6 MIDC Shrirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com

Office: - B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shrirampur, Dist- Ahmednagar. Pin 413709 Ph- 9422235816

Branch Office: - C 60, Shoppers Orbit, Alandi Road, Infront of Big Bazaar, Vishrantwadi, Pune-411015

E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com.

Website :- www.barefooterschool.com , www.pestomaticcontrols.co , www.pestomaticcontrols.com

Helpline :- 9225549186/9225549187/ 02422-225596





Agriclinics & Agribusiness Centre

Skin and Eyes: Not irritating to eyes. Prolonged or repeated contact with skin may cause mild irritation

and possibly dermatitis.

Ingestion: Low toxicity on ingestion. Has a laxative effect.

Carcinogenicity: Non- Carcinogenic

EMERGENCY AND FIRST AID PROCEDURES

Skin: Remove contaminated clothing - launder before re-use. Soap and water wash. Discard saturated leather articles.

Eyes: Copious warm water flush for 15 minutes. Physician assessment if eyes inflamed.

Inhalation Vapor pressure of this material is low. Inhalation under normal conditions is usually not a problem. Evacuate to fresh air. Apply Cardio Pulmonary Resuscitation if required. If overdosed to oil mist, remove from further exposure. Administer oxygen if available. If resuscitation is required, physician assessment is mandatory.

Ingestion: DO NOT INDUCE VOMITING Force fluids. Activated charcoal tablets. Physician assessment is mandatory.

Note to Physician: Gastric lavage should only be done after endotracheal intubation in the event of the risk of aspiration which can cause serious chemical pneumonitis for which antibiotic and corticosteroid therapy may be indicated.

SECTION VIII

PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken if spilled: Contain spill. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Scoop up used absorbent and rags into drums.

Waste Disposal Method: Dispose in approved, SECURE contaminated waste site or licensed waste reclaimer facility. Check with applicable jurisdictions for specific disposal requirements.

SECTION IX

Exposure Control Measures: EXPOSURE limits not established for mixture

Ventilation: General Ventilation

Respiratory Protection: None normally needed - unless atomizing in enclosed space or underneath vehicle, then use approved NIOSH organic, mist, vapor, and respirator **while appling as either Gel or in Spraying**.

Works :- A-2/6 MIDC Shrirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com

Office: - B-13, Sanskruti Appt., Opp. SBI Bank, Ward-3, Shrirampur, Dist- Ahmednagar. Pin 413709 Ph- 9422235816

Branch Office: C 60, Shoppers Orbit, Alandi Road, Infront of Big Bazaar, Vishrantwadi, Pune-411015

E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com.

Helpline :- 9225549186/9225549187/ 02422-225596





Agriclinics & Agribusiness Centre

Eye Protection: None normally required, unless operator is using high pressure spray equipment under vehicle where splashing could occur.

Protective Gloves: None normally needed, Vitron, Nitrile or PVC may be worn.

Other Protective Clothing: Use protective Gloves, Face-Mask, Goggles, Safety shoes, Helmet while applying.

Work/Hygienic Practices: Wash face & hands with soap & water after use. Launder soiled clothing.

SECTION X

REGULATORY INFORMATION

DOT Class: Not Regulated

SARA Title III Section 313 Supplier Notification

CAS # Not applicable Chemical Name: Bitter compounds % by weight: Less than 0.1

Certified Earth Friendly Technologies and its affiliates assume no responsibility for injury to anyone caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Certified Earth Friendly Technologies Corp. and its affiliates assume no responsibility for injury to anyone caused by abnormal use of material even if reasonable safety procedures are followed.

Date issued: October 5, 2018 Prepared by Certified Pestomatic Controls Shrirampur.

Back to Main Page

Works :- A-2/6 MIDC Shrirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com

Office: - B-13, Sanskruti Appt., Opp. SBI Bank, Ward-3, Shrirampur, Dist- Ahmednagar. Pin 413709 Ph- 9422235816

Branch Office: C 60, Shoppers Orbit, Alandi Road, Infront of Big Bazaar, Vishrantwadi, Pune-411015

E-mail :- pestocontrols@gmail.com, pestocontrols@yahoo.com.

Helpline : - 9225549186/9225549187/ 02422-225596





Agriclinics & Agribusiness Centre

Animal Out :How to Use! SOP (Standard Operating Procedures)

05.10.18

Back ground Before Application of Animal Out Gel try to know biology & habitat of Organism, then use Animal Out Gel as preventive measures. The product is designed repel & eradicate Pest Animals from Human habitat, Urban - life, Farms, Hotels, Food-factories, Farm houses/sheds of livestock, Horses. These animals are generally not Pest but quiet animals in own place. Their behavior is move slowly in a deliberate and investigatory manner. In our experiments we have seen Animals responses to the repellent in as near to natural -normal conditions as possible, so we recommend to apply Animal Out Gel by Direct Gel smearing at places of Animals habitats and physical touch activity across an area where it is desired to prevent or discourage Animals from entering or Mix 50 ml Gel in one kg of snacks available in local market and throw areas of Animal groups, for large area Add 50ml in 1 5 litre water and spray in areas of Animals movements to prevent their habits of staying inn. Preferably, the Gel baiting/spraying should be done in a strip 10-30 centimeters wide, although generally the wider the strip the better. In this manner, natural anti-feedant repellent based on animal senses like taste, touch-feel, smell, odour & contact etc. as an artificial barrier is provided. It works on natural inbuilt defense system of every organism. Additionally, a smaller amount of the drops may be done as scattered in diffuse or non-continuous manner just beyond the spray strip, on the side away from the area to be protected. This added scattering of the repellent serves to lessen the probability of occasional Animals wandering beyond the strip. If Gel barrier line is washed / broken, Animal Out Gel shall be re-applied on to repair the barrier, but protected from heavy rainfall. After washing, cleaning or rainfall re-application shall be done. Animal Out Gel is soluble in water so doesn't remains there in the same places still to ensure protection re-application is recommended. In experiment Animals exhibited even overt avoidance of the repellent, and if sometimes some Animals try to cross the repellent. These Animal exhibited avoidance behavior first, eventually moving across the repellent strip while rubbing the head against the ground, seemingly attempting to escape from the repellent Gel drops-strip. Repelled Animal show no hesitation to leave the place. Every time start treatment at interior sections working outward. Leave Animal evacuation route open (1 side) to flush out resident Animals that may be present, close open area off this untreated area within 5 days. Create complete perimeter around areas to be protected after 5 days (Not to be used by persons with perfume allergies). Keep away from children.

DIRECTIONS: Animal Out is a liquid Gel aromatic suspension available in pet bottle. The bottle content is 100 Ml. The person applying the Animal Out Gel shall wear protective before start. The minimum requirement is Boiler suit, Gum boot, rubber gloves, full goggle, nose mask or full face mask with canister and or helmet as per the need of the situations.

INGREDIENTS: Proprietary blend of essential oil & lubricating oils. (See MSDS for all ingredient details.)

- 1. Break open the bottle seal. Start applying drops in areas of occurrence of Animals to repel Animals as curative spot treatment. Scattered spray shall also done to discourage the animals.
- 2. Apply Gel by smearing at maximum touchable places of animals, till the organism touches and feel the taste of gel it doesn't give any reaction.
- 3. Mix 50ml Gel in one kg of snacks available in local market and throw areas of Animal groups, for large area Add 50ml in 1-5 litre water and spray in areas of Animals movements to prevent their habits of staying inn.

Works :- A-2/6 MIDC Shrirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com

Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shrirampur, Dist- Ahmednagar. Pin 413709 Ph- 9422235816

Training Office: C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015

E-mail :- avinash@pestomatic.com, info@barefooterschool.com

Website :- www.barefooterschool.com , www.pestomatic.com , www.pestomatic.com , www.pestomatic.com

Helpline : - 9881742427/9225549186/9225549187/ 02422-225596





Agriclinics & Agribusiness Centre

- 4. Apply Animal Out Gel at all the parking areas, windows and door sides to take care of either Animals hiding, breeding or entering places in home, premises, open areas, farms, Trees and closed Spaces. Apply to all places where Animals visit and resting. At home, hotel, Hospitals, Hostels, Industry, open areas, farms, Trees and closed Spaces.
- 5. Apply at all the possible or hiding suspicious places while doing so you may find some insects, frogs, rat, cat, dog, mongoose, small pests rushing away getting repelled if hiding inside. Please, note Animal Out Gel repels several organism but does not harm to Human, animals, insects, pet & even birds.

Note: Do not disturb Natural food chain, natural habitat, Animals are friends. They are most important part of food chain. The natural predator -parasite food cycle shall be kept normal at maximum possible ways. In exceptional case apply this in only for artificial barrier if very necessary in human areas, later it shall be broken if not required. Do not attempt to cover very big land, entire jungle, forest areas use for Farms house, Hotel, Hospital & Food industry.

Disposal: The empty container & remaining, after use shall be disposed by deep burial in barren land safely. Storage: Store below 30°C Temperature in cool dry place away from children. Made in the India for farmers only.

For Questions or Comments:

91-9422235816
avinash@pestomatic.com
Avinash Salunke, Content Specialist,
Pestomatic Controls, Agri-Clinics, Agri Business Centre
Shrirampur.
Dist. Ahmednagar.
Pin 413709 MS India
www.pestomatic.com
pestocontrols@gmail.com

Date 05/10/2018

Back to Main Page

Our Satisfied Customer

Punjab State warehousing corporation, Patiala

REX Environment Science Pvt. Ltd.

Works :- A-2/6 MIDC Shrirampur, Dist. Ahmednagar. PEST CONTROL TRAINING AVAILABLE www.barefooterschool.com


Office :- B-13, Sanskruti Appt., Opp. SBI Bank, Ward- 3, Shrirampur, Dist- Ahmednagar. Pin 413709 Ph- 9422235816

Training Office: - C-60, Ground Floor, Shoppers Orbit, In front off Big Bazaar, Alandi Road, Vishrantwadi, Pune - 411015

E-mail :- avinash@pestomatic.com ,info@barefooterschool.com

Website : - www.barefooterschool.com, www.pestomatic.com, www.pestomaticcontrols.co

Helpline : - 9881742427/9225549186/9225549187/ 02422-225596



PUNJAB STATE WAREHOUSING CORPORATION PATIALA

M/S PESTOMATIC CONTROLS Shrirampur, Distt Ahmednagar.

Kind Attn. Mr. Avinash Salunke

RE: Supply of Bird and Monkey control solutions

Dear Sir,

This is with reference to above mentioned subject, I would like to inform you that upon request of undersigned regarding control of Monkey and Bird menace at open to air food grains storage points at our premises at Patiala and Rajpura (Punjab), you supplied the Monkey out gel and BIRD OUT granules on trial basis. I am very pleased to inform you that we got very encouraging results for both of these products. In case of Monkey Out gel we got 100% results. I must appreciate both of these products as both are ecofriendly, safe to use, non-harming to both monkeys and birds and also effective. Keeping in view the efficacy of both of these products, we would revert back to you in very near future for more supply of these products.

DATED: 18/12/2020

Thanking you

DISTRICT MANAGER
P.S.W.C PATIALA